

REC'D 0 5 NOV 2004



IB/2004/03/84
INVESTOR IN PEOPLE

The Patent Office Concept House Cardiff Road Newport

South Wales NP10 8QQ

## PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.


In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 7

7 October 2004



BEST AVAILABLE COPY

Yes

8. Is a Patents Form 7/77 (Statement of Inventorship and of right to grant of a patent) required in support of this request?

Answer YES If:

a) any applicant remed in part 3 is not an inventor, or

resulted from an enritlement dispute (see note f)

- there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body:)
   Otherwise answer NO (See now d)

Patents Form 1/77

communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

#### Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or, you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'YES in part 8, Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) Part 7 should only be completed when a divisional application is being made under section 15(4), or when an application is being made under section 8(3), 12(6) or 37(4) following an entitlement dispute. By completing part 7 you are requesting that this application takes the same filing date as an earlier UK application. If you want the new application to have the same priority 0081677 02-0ct-03 04:19 date(s) as the earlier UK application, you should also complete part 6 with the priority details.

Patents Form 1/77

MAGUIRE BOSS

1

5

10

15

## GAMING SYSTEM WITH WAGER LOCATION

### FIELD OF THE INVENTION

This invention relates to a gaming system and, more particularly, to a gaming system that can be used by a plurality of players to play any one of a selection of available games on which wagers may be placed. The invention extends to a method of operation of the gaming system.

25

30

### BACKGROUND TO THE INVENTION

Gaming systems are known that enable a plurality of players to play separate instances of a game of chance. Each player is able to place a wager on each turn of his own particular instance of the game. An outcome of the turn of the game is determined by the system and displayed to the player and the system settles the wager as a function of the outcome according to the rules of the game of chance being played.

35 Such prior art gaming systems may be, at a simplest level, one or more standalone gaming machines that can be located in a land-based casino or some other

entertainment venue such as a betting shop. In this instance, the turnover and gross win arising from each gaming machine may be recorded manually and logged by an operator of the gaming system: In another prior art gaming system, the plurality of gaming machines located at the entertainment venue may each be linked by means of a local-area network ("LAN") to an administration facility that automatically records the financial performance of each gaming machine. It is also known to extend this latter type of topology outside the confines of a single entertainment venue and to have gaming machines that are geographically dispersed, some of which may be located in rural or disadvantaged areas. In this particular topology, the gaming machines are linked to the administration facility by means of a wide-area network ("WAN").

It is a disadvantage of such prior art gaming systems that the financial performance of the system can only be determined and analysed to a resolution that corresponds to each individual gaming machine. It is desirable to analyse the performance of a gaming system according to criteria other than individual gaming machine.

#### OBJECT OF THE INVENTION

25 .

20

It is an object of this invention to provide a gaming system, and a method of operation of a gaming system that will, at least partially, alleviate the abovementioned difficulties and disadvantages.

30

#### SUMMARY OF THE INVENTION

In accordance with this invention there is provided a gaming system, comprising: a gaming server;

a plurality of player stations remote from the gaming server, each player station being capable of rendering to a player a simulation of at least one game of

25

30

35

3

chance and enabling the player to place a wager on a turn of the at least one game of chance; and a communication network capable of providing communication between the gaming server and the plurality of player stations characterised in that

the gaming server records transaction data relating to each wager placed by any player on each turn of the at least one game of chance, the transaction data including at least the size of the wager, the time and date of the wager, an outcome of the turn of the game of chance, a geographic location of the player station on which the wager was placed by the player, and a status of the wager, the status being successful if the outcome of the turn of the game is a favourable outcome, and the status being unsuccessful if the outcome of the turn of the game is not a favourable outcome.

Further features of the invention provide for each player station to have a unique identification code, for the geographic location of any player station to be stored in a player station database associated with the gaming server, for the player station database to be indexed according to the unique identification codes of the plurality of player stations, and for the gaming server to derive the geographic location of any player station from the player station database by means of the unique identification code of that player station as an index.

Still further features of the Invention provide for the gaming server to maintain a register of all players who utilise the gaming system to play the at least one game of chance, for the register to store, for each player, a player identify and a corresponding unique code of at least one player identification taken, for the player identification taken to be any one of an identification card, a driver's licence, a credit card or a debit card, for each player terminal to require any player to be identified before commencing play of the at least one game of chance, and for the transaction data relating to any wager to include an identity of the player who placed that wager.

Yet further features of the invention provide for the gaming system to include an administration facility communicable with the gaming server by means of the communication network, for the administration facility to be configurable to determine a total gross win or loss for each individual player in the registry, for the administration facility to be further configurable to determine a total gross win or loss for each one of the plurality of player stations of the gaming system, for the administration facility to be still further configurable to determine a gross win or loss for all player stations whose geographic location falls within a selectable geographical area, and for the administration facility to be yet further configurable to determine a total gross win or loss for all the player stations together.

15

20

10

There is further provided for the administration facility to accumulate a proportion, preferably three percent, of all wagers placed by any player on any one of the plurality of player stations, in an accumulation account, and for the administration facility to reimburse, out of the contents of the accumulation account, a community in any selectable geographical area in respect of the gross loss at all player stations whose geographic location falls within the selected geographic area, alternatively for the administration facility to reimburse the community in respect of a total of all wagers placed at any player station whose geographic location falls within the selected geographic area.

25

30

There is further provided for any player station to accept wagers in one of a number of different standard wager denominations, for the number of different standard wager denominations to be a predetermined integral or fractional number of units of credit, for the player station database to store, for each player station, a corresponding standard wager denomination for wagers placed by the player at that player station, and for the administration facility to derive the wager denomination of any particular player station from the player station database by means of the unique identification code of that player station as an index.

There is still further provided for each player station to have a processor and a display monitor on which the simulation of the at least one game of chance is

20

· 25

30

5

5 rendered to the player, for the player station to have any one or more of a coin acceptor, a banknote validator, a keypad and a printer, and for the communication network to be the internet.

The invention extends to a method of operation of a gaming system, comprising the steps of:

providing a gaming server, a plurality of player stations remote from the gaming server, and a communication network capable of providing communication between the gaming server and the plurality of player stations;

randering to a player, on a player station, a simulation of at least one game of chance:

enabling the player to place a wager on the furn of the at least one game of chance at the player station;

determining an outcome of the turn of the at least one game of chance; and recording transaction data relating to each wager placed by the player on the turn of the at least one game of chance, the transaction data including at least the size of the wager, the time and date of the wager, an outcome of the turn of the game of chance, a geographic location of the player station on which the wager was placed by the player, and a status of the wager, the status being successful if the outcome of the turn of the game is a favourable outcome, and the status being unsuccessful if the outcome of the turn of the game is not a favourable outcome.

There is also provided for assigning a unique identification code to each player station, for storing a geographic location of any player station in a player station database, for indexing the player station database according to the unique identification codes of the plurality of player stations, and for deriving the geographic location of any player station from the player station database by means of the unique identification code of that player station as an index.

35 There is further provided for maintaining a register of all players who utilise the gaming system to play the at least one game of chance, for storing, for each

player in the register, a corresponding player identity and a corresponding unique code of at least one player identification token, for the player identification token to be any one of an identification card, a driver's licence, a credit card or a debit card, for requiring a player to be identified before commencing play of the at least one game of chance, and for including in the transaction data relating to any wager, an identity of the player who placed that wager.

There is still further provided for configuring the gaming system to determine a total gross win or loss for each individual player in the registry, for further configuring the gaming system to determine a total gross win or loss for each one of the plurality of player stations of the gaming system, for still further configuring the gaming system to determine a gross win or loss for all player stations whose geographic location falls within a selectable geographical area, and for yet further configuring the gaming system to determine a total gross win or loss for all the player stations together.

20

25

There is yet further provided for accumulating a proportion, preferably three parcent, of all wagers placed by any player on any one of the plurality of player stations, in an accumulation account; and for reimbursing, out of the contents of the accumulation account, a community in any selectable geographical area in respect of the gross loss at all player stations whose geographic location falls within the selected geographic area, alternatively for reimbursing the community in respect of a total of all wagers placed at any player station whose geographic location falls within the selected geographic area.

There is also provided for accepting wagers in one of a number of different denominations, for establishing the number of different denominations to include a number of predetermined integral or fractional number of units of credit, for storing, for each player station, a corresponding denomination for wagers accepted at that player station, and for deriving the wager denomination of any particular player station from the player station database by means of the unique identification code of that player station as an index.

## BRIEF DESCRIPTION OF THE DRAWINGS

One embodiment of the invention is described below, by way of example only, and with reference to the abovementioned drawings, in which:

Figure 1 is schematic diagram of a gaming system according to the invention; and

15 Figure 2 is a schematic representation of a player station of the garning system of Figure 1.

### DETAILED DESCRIPTION OF THE INVENTION

20

25

Referring to Figure 1, a gaming system is indicated generally by reference numeral (1).

This embodiment of the invention will be described with particular reference, to a game of chance that is a single-player 3-reel video slots game. It is to be clearly understood, however, that the invention extends to include the use of other types of single-player games of chance, such as video poker, for example.

The gaming system (1) includes a gaming server (2), and a plurality of player stations (3) located remotely from the gaming server (2). Communication between the player stations and the gaming server (2) is provided by means of a communication network (4) that is, in this embodiment, the internet Each player station (3) includes an internet-enabled processor (5), a display monitor (6), a numeric keypad (7), a pushbutton panel (8), a coin acceptor (9), a banknote validator (10) and a thermal printer (11). The internet-enabled processor (4) operates under a Windows 2000 operating system, which is well known and

8

commercially available from the Microsoft Corporation of Seattle, Washington, USA. The gaming server (2) operates under the Windows NT operating system, which is also a product of the Microsoft Corporation.

The gaming system (1) enables a player to play a game of 3-reel video slots at any one of the player stations (3). A number of different players may play the game of video slots simultaneously, each player playing from a different player station (3). It is anticipated that the player stations (3) would be placed at different locations throughout a geographic region, such as entertainment venues, shopping centres, games areades, cinemas, night clubs, betting shops and the like. Each player station (3) is identified by a unique identification code and the geographical location of each player station is known. The geographical location need not be known accurately by means of geographical co-ordinates, but merely at the level of village, or town and suburb, district, region and province.

The gaming system (1) includes, further, an administration facility (14) in the form of an application web server, which is communicable with the gaming server (2) by means of the communication network (4). The detailed operation of the application web server (14) will be outlined in the description that follows.

The Internet-enabled processor (5) in each player station (3) executes a client process (12) in the form of a computer program that renders a simulation of the three-reel video slots game on the display monitor (6) of the player station. The client process (12) executes under Instruction of a player by means of the pushbutton panel (8) of the player station (3). The gaming server (2) executes a server process (13), which is a further computer program that generates random events that determine the outcome of turns of the video slots game. The operation of the client and server processes (12 and 13) will be described in greater detail in the description that follows. The server process (13) generates, upon request of the client process (12), a random event that determines the outcome of a turn of the video slots game, in particular, the outcome of a spin of the reels of the three-reel video slots game in the player's particular turn of the

game. The client process (12) of the particular player station (3) obtains the result of the random event from the gaming server (2), along the communication network (4) and displays the outcome of the turn of the game to the player on the display monitor (6) of the player station (3) in an intelligible manner, by simulating on the monitor an animation of three spinning reels that come to rest at appropriate indexed positions corresponding to the generated outcome.

The client process (13) also allows the player to make a wager on a turn of the game of video slots, and to effect decisions that determine the progress of the game, by using appropriate buttons on the pushbutton panel (8) of the player station (3). In this particular embodiment, the pushbutton panel button has buttons labelled "BET 1", "BET MAX" and "SPIN", respectively. The use of these pushbuttons, which is the same as that found in a conventional, freestanding slot machine is well known in the art and will not, for this reason, be described here in detail.

20

25

5

10

The gaming server (2) maintains a register, or player database (15), of players who have used the gaming system (1) to play the game of video slots. The player database (15) contains, for each player, an identity of the player, a corresponding unique code of a player identification token, and a corresponding credit account balance. The player identification token can be any one of an identification card, a driver's licence, a credit card or a debit card, the only requirement being the uniqueness of the code of a player's identification token. In order to utilise the gaming system (1) to play the game of video slots, a player is required to first identify himself or herself before being allowed to commence wagering and playing at a player station (3). A first-time user of the gaming system (1) is required to complete a registration process and have his particulars added to the player database (16) before such a player is eligible to commence wagering and play. The player database (15) is indexed by player identification code.

35

20

25

30

The client process (12) of a player station (3) enables a player to place a wager on a turn of the three-reel slots game by means of the "BET 1" and "BET MAX" buttons on the pushbutton panel (8). The wagers placed by players utilising the gaming system (1) are made with credit purchased by such players prior to their participation in the game. For this purpose, a player may purchase credit by inserting coins in the coin acceptor (9) of a player station (3) and by inserting banknotes into the banknote validator (10) of the player station. Whenever a player purchases credit in this manner, the gaming server (2) credits that player's credit account balance in the player database (15) with an amount equivalent to the quantity of credit purchased by the player. The player's credit balance is 15 of displayed on the display monitor (6) of the player station (3) at all times during a 🔑 player's playing session. Each player station (3) accepts wagers in only one denomination. Various standard wager denominations are supported by the gaming system (1), each standard denomination being an integral or a fractional number of units of credit. In this particular embodiment, the standard wager denominations are 0.25, 0.5, 1, and 5 units of credit.

The gaming server (2) also maintains a player station database (17) that contains player station data corresponding to each player station (3) in the gaming system The player station data includes the unique identification code of a player station (3), a standard wager denomination of the player station, and a corresponding geographical location of that player station. The player station database (17) is indexed by player station identification code.

The server process (13) in the gaming server (2) capable of determining whether any wager placed by any player on a turn of the game is successful or unsuccessful according to the rules of the three-reel video slots game. In particular, once a player has placed a wager on a turn of the game, and the gaming server has determined a corresponding outcome of that turn of the game. the server process determines whether the wager is successful or unsuccessful in the following manner: the game of video slots has a plurality of possible outcomes, of which one or more may be favourable outcomes with the remainder

being unfavourable outcomes. Each one of the favourable outcomes causes the player to win a prize of a corresponding quantity of credit. The gaming server (2) determines the status of a wager to be successful if the outcome of the turn of the game is a favourable outcome, and unsuccessful if the outcome of the turn of the game is not a favourable outcome. The gaming server (2) settles each successful player wager by crediting the credit account of the player by an amount of credit equivalent to the prize won by the player.

A player can terminate his playing session by activating a "CASHOUT" button on the pushbutton panel (8) of his player station (When a player desires to terminate his playing session, whereupon the client process (12) of the player station causes a bar-coded ticket to be printed on the thermal printer (11) of the player station. The player can then present the bar-coded ticket to an operator of the gaming system (1) and exchange it for value equivalent to the balance of the credit in the player's credit account..

20

.25

30

35

The gaming server (2) also maintains a transaction database (16) of transaction data relating to any wager on the game by any player at any player station (3). The transaction data includes, for each turn of the game, a player identification code of the player, a size of the wager, a time and date stamp of the turn of the game, a player station identification code of a player station (3) at which the player is playing, an outcome of the turn of the game, a status of the wager, the status being successful if the outcome of the turn of the game is a favourable outcome, and unsuccessful if the outcome of the turn of the game is not a favourable outcome, and a corresponding prize won by the player if the status of the wager is successful.

The application web server (14) executes a management information software program (18), which can be configured to analyse the transaction data in the transaction database (16) and to produce management reports according to the needs of particular application. In particular, the management information software program (18) can be configured to produce a report on net wins or

. %

20

25

30

35

12

losses per player in the player register, per single player station (3), per group of player stations whose geographical location falls within a selected geographic area, or for the gaming system (1) as a whole, it will be appreciated by those skilled in the art that it will be necessary for the application web server to interrogate, via the gaming server, the contents of each of the player database (15), the transaction database (16) and the player station database (17) to produce management reports of the type mentioned above.

The management information software program (18) of the application web server (14) can also be configured to accumulate a proportion, in this embediment 3%, of all player wagers in an accumulation account (not shown). The contents of the accumulation account (not shown) may be utilised by an operator of the gaming system (1) for purposes of social responsibility. As an illustration, the management information software program (18) may be configured to report on net win for all player stations falling within a predetermined underprivileged area, and the operator of the gaming system (1) may elect to reimburse the underprivileged community out of the social responsibility account for all losses incurred at player stations falling within the underprivileged area. It will be further appreciated by those skilled in the art that the management information software program (18) may also be configured to produce for the purpose of making fiscal payments to a competent tax authority.

Numerous modifications are possible to this embodiment without departing from the scope of the invention. In particular, the game of chance offered for play be the gaming system (1) may be a game of video poker or video blackjack instead of the game of video slots described above. Alternatively, gaming system (1) may offer a plurality different of games for play at any player station (3), a player being able to select, from a menu, any one of the available games for play. Further, a touch screen may replace the display monitor (6) on each display station (3), permitting the pushbutton panel on each display station to be dispensed with. Still further, the player identification code may be issued by an operator of the gaming system (1) instead of being derived from a player identification token. Yet further,

the system may be such as to require a player to purchase credit at a player station (3) by means of a payment token such as a credit card or a debit card, instead of by means of coins or banknotes as described above. As a further alternative, alternative, a player may be required to purchase credit from a vending station. It is envisaged that, in this scenario, the player would be presented with a voucher encoded with an amount of credit purchased by the player, and the player would then transfer the credit to the player's credit account by keying in the voucher code by means of the numeric keypad (7) on the player station (3). Finally, the application web server (14) may be configured to derive game statistics from the transaction database (16) that can be used to verify the performance, stability and fairness of any game offered by the gaming system (1).

The invention therefore provides a gaming system that enables the determination of wins and losses by players according to geographic location and that permits the implementation of social responsibility projects for disadvantaged communities.

25

20

10

30

35





Figure 1



# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS
IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.